	Application No.	Applicant(s)
	10/004 350	TAKASE ET AL
Notice of Allowability	10/004,259 Examiner	TAKASE ET AL. Art Unit
•		
	Jyoti Nagpaul	1743
The MAILING DATE of this communication applied all claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate communication is s	n this application. If not included unication will be mailed in due course. THIS
1. This communication is responsive to <u>December 4, 2006</u> .		
2. The allowed claim(s) is/are <u>1-8,12-17 and 21-25</u> .		
3. Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the:	.,,,,	or (f).
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attack and Max		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. T Notice of In	formal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		ummary (PTO-413),
	Paper No./	Mail Date
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>5/17/02</u> 	7. ⊠ Examiners	Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's	Statement of Reasons for Allowance
of biological Material	9.	_·
		_

Application/Control Number: 10/004,259

Art Unit: 1743

EXAMINER'S AMENDMENT

Claims 1-8, 12-17 and 21-25 are allowed.

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with David Hanson on February 26, 2007.

The application has been amended as follows:

Cancel Claims 9-11, 18-20 and 26-32.

Claim 1, Line 24 after "for", insert -- sequentially--

Claim 1, Line 24 after "controlling", delete "all of"

Claim 1, Line 24 after "the", delete "aforementioned various means", insert –operation of the analysis system throughout sample processing—

Claim 12, Line 22 after "for", insert -- sequentially---

Claim 12, Line 22 after "controlling", delete "all of"

Claim 12, Line 22 after "the", delete "aforementioned various means", insert —operation of the analysis system throughout sample processing—

Claim 21, Line 21 after "for", insert —sequentially—

Claim 21, Line 21 after "controlling", delete "all of"

Claim 21, Line 21 after "the", delete "aforementioned various means", insert —operation of the analysis system throughout sample processing—

Application/Control Number: 10/004,259

Art Unit: 1743

2. The following is an examiner's statement of reasons for allowance: Prior art fails to teach or fairly suggest an analysis system comprising a sample rack, a turntable, a sample container supply means, a sample aspirating and dispensing means, a solvent removing means for evaporating off a protonated solvent from each sample and drying and solidifying the sample comprising nozzles for removal of the solvent by injecting gas into the sample container in combination with a solvent-dispensing means for dispensing a deuterated solvent from a source into each dried and solidified sample, a sample-stirring means, a sample recovery means, a sample container recovery means and a control means for sequentially controlling operation of the analysis system throughout sample processing.

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jyoti Nagpaul whose telephone number is 571-272-1273. The examiner can normally be reached on Monday thru Friday (8:00-4:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/004,259

Art Unit: 1743

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JN

Supervisory Patent Examiner
Technology Center 1700